


**REMARKS**

Entry and consideration of this Amendment are respectfully requested.

Respectfully submitted,



Louis Gubinsky  
Registration No. 24,835

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

WASHINGTON OFFICE



23373

PATENT TRADEMARK OFFICE

Date: July 3, 2003

## **APPENDIX**

### **VERSION WITH MARKINGS TO SHOW CHANGES MADE**

#### **IN THE CLAIMS:**

**The claims are amended as follows:**

2. **(AMENDED)** A method ~~for~~ method of claim 1 treating a tumor comprising the step of external administering a composition containing benzyl alcohol as the active ingredient.
3. **(AMENDED)** A method ~~for~~ method of claim 1 treating a tumor comprising the step of perorally or parenterally administering a composition containing benzyl alcohol as the active ingredient.
4. **(AMENDED)** A method ~~for~~ method of claim 1 treating a tumor comprising the step of administering a composition containing benzyl alcohol as the active ingredient in combination with heparin and/or vitamin C.
5. **(AMENDED)** A method ~~for~~ method of claim 1 treating a tumor comprising the step of administering a composition containing benzyl alcohol as the active ingredient, wherein a tumor associated with said composition is breast cancer, large bowel cancer, thyroid gland cancer, colon cancer, cecum cancer, cervical cancer, malignant melanoma, pancreas cancer, or stomach cancer.
6. **(AMENDED)** A method ~~for~~ method of claim 2 treating a tumor comprising the step of external administering a composition containing benzyl alcohol as the active ingredient in combination with heparin and/or vitamin C.
7. **(AMENDED)** A method ~~for~~ method of claim 3 treating a tumor comprising the step of perorally or parenterally administering a composition containing benzyl alcohol as the active ingredient in combination with heparin and/or vitamin C.
8. **(AMENDED)** A method ~~for~~ method of claim 2 treating a tumor comprising the step of external administering a composition containing benzyl alcohol as the active ingredient, wherein a tumor associated with said composition is breast cancer, large bowel cancer, thyroid gland cancer, colon cancer, cecum cancer, cervical cancer, malignant melanoma, pancreas cancer, or stomach cancer.

9. (AMENDED) A method ~~for~~ method of claim 3 treating a tumor comprising the step of perorally or parenterally administrating a composition containing benzyl alcohol as the active ingredient, wherein a tumor associated with said composition is breast cancer, large bowel cancer, thyroid gland cancer, colon cancer, cecum cancer, cervical cancer, malignant melanoma, pancreas cancer, or stomach cancer.

10. (AMENDED) A method ~~for~~ method of claim 4 treating a tumor comprising the step of administrating a composition containing benzyl alcohol as the active ingredient in combination with heparin and/or vitamin C, wherein a tumor associated with said composition is breast cancer, large bowel cancer, thyroid gland cancer, colon cancer, cecum cancer, cervical cancer, malignant melanoma, pancreas cancer, or stomach cancer.

11. (AMENDED) A method ~~for~~ method of claim 6 treating a tumor comprising the step of external administrating a composition containing benzyl alcohol as the active ingredient in combination with heparin and/or vitamin C, wherein a tumor associated with said composition is breast cancer, large bowel cancer, thyroid gland cancer, colon cancer, cecum cancer, cervical cancer, malignant melanoma, pancreas cancer, or stomach cancer.

12. (AMENDED) A method ~~for~~ method of claim 7 treating a tumor comprising the step of perorally or parenterally administrating a composition containing benzyl alcohol as the active ingredient in combination with heparin and/or vitamin C, wherein a tumor associated with said composition is breast cancer, large bowel cancer, thyroid gland cancer, colon cancer, cecum cancer, cervical cancer, malignant melanoma, pancreas cancer, or stomach cancer.

13. (AMENDED) A method for treating a tumor according to any of Claims 1 to 12, wherein said benzyl alcohol is administrated at a dose ~~necessary and~~ sufficient to cause a tumor cell to fall in necrosis.

14. (AMENDED) A method for treating a tumor according to ~~any of Claim 13 to 12~~, wherein said benzyl alcohol is administrated at a dose ~~necessary and~~ sufficient to cause ~~a~~ cells of the tumor cell to fall become in necrosis necrotic, said dose being determined as an amount ~~neccessary and~~ sufficient by using separation of a tumor cell from a normal cell as a marker.

15. (AMENDED) A method for treating a tumor according to ~~any of Claim 13 to 12~~, wherein said benzyl alcohol is administrated at a dose ~~necessary and~~ sufficient to cause ~~a~~ cells of the tumor cell to fall become in necrosis necrotic, said dose being 1mg-50mg/tumor volume (cm<sup>3</sup>).

16. **(AMENDED)** A method for treating a tumor according to ~~any of Claim 13 to 12~~, wherein said benzyl alcohol is administrated at a dose of 1mg-50mg/tumor volume (cm<sup>3</sup>) as an amount ~~necessary and sufficient to cause a~~ cells of the tumor cell to fall become in neerosisnecrotic, said dose being determined as an amount ~~necessary and sufficient~~ by using separation of a tumor cell from a normal cell as a marker.

17. **(AMENDED)** A method for treating a tumor according to any of Claims 1 to 12, wherein said administration is carried out by using an aqueous 0.1-5% benzyl alcohol solution.